



## Safety Data Sheet

According to (EC) No 1907/2006 ,Article 31(REACH), (EC) No 1272/2008 (CLP)

Date :15.12.2010

Revision:00

### Product Name: Pigment Red 254

REACH Status:Pre Registered

## 1. Identification of the substance/preparation and of the company

### 1.1 Identification of the substance

Name: **Pigment Red 254**

Product code: **PRCO1055, PRPL1055, PRIN1055, PRRU1055**

C.I.No.: 56 110

CAS No.: 84632-65-5

Chemical Class: DPP

EINECS No. **\*617-603-5**

### 1.2 Company Identification

Prasad International Limited  
601-602, Surya Rath, Panchvati, 1st. Lane,  
Opp. White House, Ambawadi,  
Ahmedabad-380 006, Gujarat State, India  
E-Mail:info@prasadinternational.com  
Website: www.prasadinternational.com

### 1.3 Emergency telephone: available only during office hours

Tel.: + 91 79 26422349 / 26425650

Fax: + 91 79 26562870

### 1.4 Use of the substance

Colouring component for Coatings, Inks, Plastics & Rubber.

## 2. Hazards identification

### ■ Information concerning particular hazards for human and environment:

Not classified as hazardous according to EU Directives. Please note that information of this Material Safety Data Sheet.

## 3. Composition / information on ingredients

### 3.1 Composition

CAS No.:	Content (W/W)	Hazardous ingredients
84632-65-5	100%	none

### 3.2 Hazardous ingredients

None for substances with exposure limits see ch. 8

## 4. First aid measures

### ■ Inhalation:

If difficulties occur after dust has inhaled. Remove to fresh air and seek medical attention.

### ■ Skin contact:

No, know effect on skin. Have conscious person to drink.

Several glass of water or milk. Include ingestion vomiting. Seek medical attention.

### ■ Eyes contact:

Immediately wash affected eyes for at least 15 minutes under running water with eyelids held open. Consult an eye specialist.

### ■ On ingestion:

Rinse mouth immediately and then drink plenty of water, seek medical attention.

### ■ General advise:

Remove contaminated clothing.

## Product Name: Pigment Red 254

### 5. Fire-fighting measures

■ **Suitable extinguishing agents:**

Carbon dioxide, dry chemical or foam recommended. Apply water spray to cool exposed closed containers.

■ **Fire fighting equipment:**

Use self-contained breathing apparatus.

■ **Fire and explosion hazard:**

Fire or excessive heat may produce hazardous decomposition products.

■ **General Hazard:**

Improper handling of any finely divided organic pigment powder may entail dust cloud formation with consequent explosion hazard.

■ **Flammability data:**

Flash point – Non-flammable material.

### 6. Accidental release measures

■ **Spillage:**

Dampen the material without creating a dust. Sweep or vacuum and place in suitable containers for disposal. Air borne organic pigment dust may be an explosion hazard. Secure possible sources of ignition and avoid dusting.

### 7. Handling and storage

■ **Handling:**

■ **Information for safe handling:**

Handle with care and avoid employee exposure with appropriate control measures and good industrial hygiene practices. Wash hands and face thoroughly after handling and before eating, drinking or using tobacco products.

■ **Storage:**

Keep containers tightly closed in a dry, cool and well-ventilated place away from direct sources of heat.

### 8. Exposure controls / personal protection

■ **Engineering controls:**

The use of local exhaust ventilation is recommended. Take appropriate precautions including a property grounded dust collection system.

■ **Personal protection:**

Use protective gloves as a standard industrial handling procedure. Wear impervious clothing when gross contact is likely.

■ **Respiratory protection:**

Wear National Institute of Occupational Safety and Health (NIOSH) approved dust respirator for potentially dusty handling operations.

■ **Eye protection:**

Use safety glasses or goggles to protect against dust particles.

■ **Exposure limits:**

OSHA PEL's and American Conference of Governmental Industrial Hygienists (ACGIH) TLV's are not established. The recommended permissible Exposure Limit (PEL) for nuisance dust (29 CFR 1910,1000) is 15 mg/m<sup>3</sup> (total dust) and 5 mg/m<sup>3</sup> (respirable dust). The recommended Threshold Limit Value (TLV) for nuisance dust is 10 mg/m<sup>3</sup>.

## Product Name: Pigment Red 254

### 9. Physical and chemical properties

<b>Form:</b>	Powder
<b>Colour:</b>	Red
<b>Odor:</b>	Orderless
<b>PH value:</b>	6.0 – 8.0
<b>Melting point/ Melting range:</b>	°C
<b>Flash point:</b>	Not applicable
<b>Flammability:</b>	Non-flammable
<b>Ignition temperature:</b>	Not applicable
<b>Danger of explosion:</b>	Product is not explosive. Dust can form an explosive Mixture with air
<b>Specific gravity</b>	1.69 g/cm <sup>3</sup>
<b>Solubility in water:</b>	Insoluble
<b>Vapour Pressure:</b>	Not applicable
<b>Octanol/Water partition Coefficient (Log Pow):</b>	Not determined

### 10. Stability and reactivity

■ **General:**

This product is a stable compound. Shelf life is unlimited (if properly stored).

■ **Incompatibility:**

Nothing in particular. Avoid strong oxidizing agents like peroxides, chlorates, perchlorates, nitrates and permanganates.

■ **Hazardous decomposition or byproducts:**

None, provided product is correctly processed. However, burning may evolve oxides of carbon and nitrogen and hydrogen chloride as well as other noxious gases, which are toxic and must be removed from the flue gas by appropriate means.

### 11. Toxicological information

■ **Acute toxicity:**

■ **LD/Oral / Rats:**

> 5000 mg/kg (on toxic) as defined by FHSA 16 CFR 1500.3, not hazardous as defined by OSHA 29 CFR 1916.25.

■ **Carcinogenicity:**

This product does not contain ingredients listed as carcinogens by National Toxicology Program (NTP), International Agency for Research on Cancer (IARC) or Occupational Safety and Health Act (OSHA).

### 12. Ecological information

■ **Persistence and Degradability:**

Non-biodegradable over the 28-day test period (modified Sturm test)

■ **Eco-toxicity:**

Fish Toxicity (Zebra fish): LC50: >100 mg/l Test Method: OECD 203 (1984). Daphnia Toxicity: EC50: >100 mg/l Test Method: OECD 202 (1984). Sludge Toxicity: EC50: > 100 mg/l Test Method: EEC L133 (1988). Algae Toxicity (Scenedesmus subspicatus): EC50: > 100 mg/l.

■ **Bio-accumulative potential: Not known.**

■ **Mobility:**

Product is insoluble in water. Based on above studies does not pose a hazard to the environment.

■ **Other Adverse effects:**

None known

## Product Name: Pigment Red 254

### 13. Disposal considerations

■ **General:**

Dispose (dump or incinerate) in accordance with applicable Federal State and local regulations.

■ **Waste management:**

Contact the state or local environmental agency for specific rules. This product is not identified as a Resource conservation and Recovery Act (RCRA) hazardous waste (40 CFR 261.24) and is not regulated under CERCLA (Superfund).

### 14. Transport information

■ **Land transport ADR/RID (cross-border)**

ADR/RID class: Not Restricted

■ **Maritime transport IMDG:**

IMDG class: Not Restricted

■ **Air transport ICAO-TI and IATA-DGR:**

ICAO/IATA class: Not Restricted

The product does not constitute a hazardous substance in national/international road, rail, sea and air transport

■ Custom tariff no.: 320417 39

### 15. Regulatory information

■ **Classification, packaging and labeling:**

Not classified as dangerous for supply or conveyance under regulations - amended EEC directives 67/548, 77/728, 88/379 and 91/155. This product is in compliance with CONEG Model legislation for packaging and packing ink components.

■ **Heavy metal content:**

Organic pigments do not contain any lead, cadmium, chromium (VI), mercury compounds, etc in their formulations. However, each grade of pigment contains heavy metals in limits permissible in different countries. For details, please contact us and/or refer to our product Technical Data Sheet. Generally not hazardous for water. Assessment by list.

■ **Primary Aromatics amines:**

Organic pigments do not contain carcinogenic amine compounds that can be released during metabolism.

■ EINECS No.: **\*617-603-5**

### 16. Other information

These data are based on our present knowledge, & are intended to describe the product with regard to the safety requirements. The data shall not constitute a guarantee of a particular or general specification nor shall it establish a legally valid contractual relationship. It will be a sole responsibility of the user of the product to ensure the suitability of the product intended for the purpose & method of use. We take no responsibility for any harm caused by the use of these data.